


Maharashtra University of Health Sciences, Nashik

**Trust Deed / Bylaws/ Registration Certificate
(Trust / Hospital (Bombay Nursing Act))**

Faculty: Nursing

Name of College/Institute: Dr. Panjabrao Deshmukh Nursing Institute, Amravati

Name of Trust / Society		Shri Shivaji Education Society, Amravati
Registration Certificate		Trust / Society Society :- F-89 dated 18 March 1963 Hospital (Bombay Nursing Act) :- AMC/PHD/FW/NH/78/2019
Name of the College / Institute (As per First Affiliation letter)	:	Dr/ Panjabrao Deshmukh Nursing Institute, Amravati
Address	:	Shivaji Nagar, Amravati 444 603
Email ID	:	Pdeshmukh070@gmail.com
Telephone / Mobile No.(s)	:	0721- 2551164 / 9880504088
Website	:	www.pdnursing.org
College Code	:	155104


Dean/ Principal Stamp & Signature

PRINCIPAL

**Dr. P. D. Nursing Institute
Amravati**

CERTIFICATE OF REGISTRATION

It is hereby certified that Public Trust described below has this day been duly registered under the Bombay Public Trusts Act, 1950 (Bom. XXIX of 1950), at the Public Trusts Registration Officer, Akola

Name of Public Trust the SHRI SHIVAJI EDUCATION SOCIETY, AMRAVATI

Number in the Register of Public Trusts F - 89 Amravati

Certificate issued to the President of the Shri Shivaji Education Society, Amravati

Given under my hand, this 18th day of March, 1963.

Seal of the
Charity Commissioner's
Offier, Akola Region

Signature
Designation

Sd/
Asstt. Charity Commissioner
Akola



Certificate of Registration of Societies

ACT XXI of 1860



No. of 13 of 1932 - 1933

I hereby certify that "THE SHRI SHIVAJI EDUCATION SOCIETY", AMRAVATI has this day been registered under the Societies Registration Act XXI of 1860.

Notary

Given under my hand at NAGPUR the SECOND day of DECEMBER One Thousand Nine Hundred and Thirty-two.


I do hereby certify that this is a
Original Document - True Copy
Photocopy of the Original Document
which was Produced before me.

N. V. KOLHATKAR
Advocate & Notary for
Amravati District (M.S.) India


Sd/ K.R.JOSHI
Assistant Registrar of Joint Stock Companies,
Central Provinces and Berar.

Certified to be true

Secretary,
Shri Shivaji Education Society,
Amravati.



N. R. S. No. 603/1963
of 25-03-06



MY COMMISSION EXPIRES
ON 11-05-2010





SHRI SHIVAJI EDUCATION SOCIETY, AMRAVATI'S
(Registered Public Charitable Trust No. F/89)

Dr. Panjabrao Alias Bhausaheb Deshmukh
Memorial Medical College

Shivaji Nagar, Amravati - 444 603

(An ISO 9001 - 2000 Certified Institution)

Dr. D. S. Jane
M. D. (Patho.)
DEAN

Adv. Arun B. Shelke
PRESIDENT

• Office : Tel. (0721) 2552353 • Fax.: (0721) 2661742
• E-mail : drpdmmc2007@rediffmail.com • Website : www.pdmmc.com

No. PDMMC / 1798 / 2012

Date 02/5/2012
02.05.2012

To,
The Principal,
Dr. Panjabrao Deshmukh
Nursing Institute,
Amravati.

Subject :- Issuing of affiliation for various courses.

Refnce :- Your Office Letter No. PDNURS/242/2012, Dated 30/4/2012

Sir,

The affiliation is hereby granted for various Certificate, Diploma, Undergraduate and Postgraduate programmes running in Dr. Panjabrao Deshmukh Nursing Institute, Amravati.

Deanne
Dean,

Dr.P.D.M.Medical College,
Amravati.


Copy submitted to :-
The Hon'ble Director, Dr.PDMMC,Amravati.

18

ATTESTED

V.P. Principal
Dr. P.D.N.I. Amravati
Principal
Dr. P.D.N.I. Amravati

AMRAVATI MUNICIPAL CORPORATION



FORM 'D'
(See Rule 5)

CERTIFICATE OF REGISTRATION UNDER
SECTION 5 OF THE BOMBAY NURSING HOMES
REGISTRATION ACT, 1949

No. AMC/PHD/FW/NH/ 78/2019

This is to certify that Shri/Smt. Dean, Dr. P.B. Somwanshi
has been registered under the Bombay Nursing Homes Registration Act, 1949 in
respect of Dr. Panjabrao Deshmukh Memorial Medical College & Hospital
situated at Shivaji Nagar, Panchwati Chowk, Amravati, Research Centre
and has been authorised to carry on the said nursing home.

Registration No. 78
Date of registration 9-8-2019
Place Shivaji Nagar, Amravati
Date of issue of Certificate 9-8-2019

This certificate of registration shall be valid upto 31 March, 2022

Municipal Corporation, Amravati.



Wade
Signature of the registering authority
&
Medical Officer of Health
Municipal Corporation, Amravati.

ATTESTED

UP

Principal
Dr. P.D.N.I. Amravati
Principal
Dr. P.D.N.I. Amravati

MAHARASHTRA POLLUTION CONTROL BOARD
SUB-REGIONAL OFFICE- AMRAVATI-I

Ph. No: (0721) 2563594
Fax : (0721) 2563572
Email:
sroamravatil@mpcb.gov.in



“Sahkar Surbhi” Bapatwadi, Near
Vivekanand Colony,
Amravati- 444606.

No. MPC /SRO / AMT-I/290/2021

Dtd. 01/06/2021

To,
Dr. Panjabarao Deshmukh Medical College & Hospital,
Plot no. 26 & 32, Shivaji Nagar, Amravati,
Tq. & Dist. Amravati.

Sub:- Extension of validity period of consents/CCA/Authorization regarding.
Ref :- Boards Circular dtd. 07/05/2021.

Sir,

In connection with the above subject matter, it is to inform you that Board has issued circular dtd. 07.05.2021 in r/o extension of the consents/ CCA /Authorization validity. In the said circular it is mention that if the consent/Authorization/CCA validity is either expired on or before 30 June 2021 or will be expired on 30 June shall apply online pm Board's Portal for the Consent to Establish/Renewal/Authorization/CCA and the validity of those applications Shall Stand Deemed Extended till 31th October 2021, subject to the same terms and conditions-as per earlier consent/Authorization and also subject to any specific direction that may have been issued in respect of any establishment by Hon NGT, Hon High Court/Hon Supreme Court, provided that any subsequent amendment shall be considered as per the provisions of law in force at that time.

The copy of the said circular is enclosed herewith the for your ready reference.

D.A. : As above

Copy submitted for information to:
Regional Office, MPCB, Amravati.

Your's faithfully,


(S. D. Patil)
Sub-Regional Officer,
MPC Board, Amravati-I

ATTESTED
ATTESTED
V P Principal
Jr. P.D.Nursing Institute
Principal Amravati
Dr. P.D.N.I. Amravati

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I

Date: 09/11/2020

No:- Format 1.0/CAC/UAN No.0000035571/CR- 2011000415

To,

Dr. Panjabrao Deshmukh Medical College & Hospital,
Plot no. 26 and Plot no. 32, Shivaji Nagra, Dist; Amravati.

Sub: Combine consent and BMW Authorization under Red Category

- Ref:**
1. Bio-Medical Authorization granted by the Board vide no. MPCB/ZOP(PAMS)/BMW/Amravati/06 Dated 20.02.2010 valid up to 30.04.2012
 2. The minutes of Consent Appraisal Committee meeting dated 11.09.2018.

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Renewal and BMW authorization is granted upto: 31.05.2021**
2. **The capital investment of the project is Rs.24.59 Crs. (As per C.A Certificate submitted by industry).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	570	Nos
b)	Total Plot Area	49703.00	Sq.Mtrs
c)	Total Built up Area	19746.00	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	12	As per Schedule -I	Treated effluent recycle up to maximum extent / used on land for gardening and remaining shall dispose in to sewerage system provided by local body.

[Signature]

TESTEL

ATTESTED

Sr.No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
2.	Domestic effluent	90	As per Schedule - I	Same as above.

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set [800 KVA X 2 Nos]	1	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr.No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. Conditions about Non Hazardous Wastes:

Sr.No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Wet Waste	615	Kg/Day	composting	At dumping site of Municipal Corporation
2	Dry Waste	150	Kg/Day	Drying	At dumping site of Municipal Corporation


8. Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	245.50	Yellow colored non-chlorinated plastic bags	CBMWTSDF
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	591.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	93.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	65.00		
2	Red	Contaminated waste (Recyclable)	1143.00	Red colored non chlorinated plastic bags or containers	CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	551.40	Puncture proof, Leak proof, tamper proof container	CBMWTSDF
4	Blue	a) Glassware	735.90	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDF
		b) Metallic body implants	0.00		

ATTESTED ESTEL

9. This consent is issued subject to conditions mentioned below:
- The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - You shall establish Bar code system within one year.
 - You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of Notification.
 - You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
10. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
11. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the
Maharashtra Pollution Control
Board.


(Ashok Shingare IAS),
Member Secretary

ATTESTED

ATTESTED

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	250000.00	7601788	03/01/2018	RTGS
2	45000.00	7606842	16/04/2018	RTGS

Copy to:

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati I
- They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai

Adunamp



ATTESTED

ATTESTED

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A) As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 20.00 CMD consisting of Primary (Collection tank, Neutralization tank) .
- B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100 mg/l
(6)	COD	250 mg/l

- C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
2. A) As per your application, you have provided Sewage Treatment Plant of designed capacity 300 CMD for the treatment of 90 CMD of sewage.
- B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Suspended Solids	Not to exceed	50 mg/l

- C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

Amraone

ATTESTED

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	180.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

Adnan



ATTESTED

ATTESTED

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height In Mtrs.	Type of Fuel	Quantity & UoM	% SO ₂	SO ₂
S-1	DG Set [800 KVA]	Acoustic encloser and stack	4.0 above roof	Diesel	13 Lit/Day	1.00	0.26
S-2	DG Set [800 KVA]	Acoustic encloser and stack	4.0 above roof	Diesel	20 Lit/Day	1.00	0.40

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

5. Conditions for D.G. Set

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

Amramp

ATTESTED

SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	25,000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	25,000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

Signature

ATTESTED

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

Ranjan

ATTESTED **TESTEL**

13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

Amgare

ATTESTED



महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक

Maharashtra University of Health Sciences, Nashik

दिंडोरी रोड, म्हसरुळ, नाशिक - ४२२००४, Dindori Road, Mhasrul, Nashik- 422 004

MUHS

Tel: (0253) 2539198, 200, 268, 307 Student Helpline: (0253) 2539111/6659111

Website: www.muhs.ac.in, E-mail : academic2@muhs.ac.in



अशोक एस. जाधव

विशेष कार्य अधिकारी (गट - ब)

(तत्सम विद्याथार्या)

Ashok S. Jadhav

OSD (Grade - B)

(Allied Faculty)

जा. क्र. मआवि/ई-६५५१०४/८२०/२०२२

दि: ११/०५/२०२२

प्रति,
प्राचार्य / प्राचार्या,

डा. पंजाबराव देशमुख
परिचर्या मंडळ
पंचवटी चौक, भिवंडी
महाराष्ट्र,
डा. अमरावती - ४४४२०३

विषय : - महाविद्यालयास पोहोचपावती पाठविणेबाबत...

महोदय / महोदया,

उक्त विषयाच्या अनुषंगाने सदर पत्रासोबत पावती क्र २६०६.६.८...दि. २९/१२/२०२१ आपल्या महाविद्यालयास पाठविण्यात येत आहे. आपल्या महाविद्यालयामार्फत शुल्क प्राप्तीचा तपशील पुढीलप्रमाणे:

- १) शैक्षणिक वर्ष २०२२-२३..... करीता संलग्नीकरणाचे नुतनीकरण (पदवी) शुल्क रक्कम रु ५,००,०००...धनाकर्ष क्र: ११०२६१८१२४३४.....दि. २६/१०/२०२१.
- २) शैक्षणिक वर्ष करीता संलग्नीकरणाचे विस्तारिकरण (पदवी) शुल्क रक्कम रुधनाकर्ष क्र. दि. - / - /२०२१.
- ३) शैक्षणिक वर्ष करीता दंडात्मक शुल्क रक्कम रु धनाकर्ष क्र. दि. - / - /२०२१.

आपला,

Dr. Panjabrao Deshmukh
Nursing Institute, Amravati
Inward No. 792/2022
Date 07/05/2022
Sign. Kalbarde

विशेष कार्य अधिकारी (गट ब)
शैक्षणिक विभाग **ATTESTED**
(पदवी व पदव्युत्तर पदवी)

Principal

Seat increase additional fee
2021-23

B.S. Affiliation fee

DR. PANJABRAO DESHMUKH
URBAN CO-OPERATIVE BANK LTD., AMRAVATI.

BRANCH : _____

Received from :

PRINCIPAL

Dr. P. D. Nursing Institute

A/c No. :-

Amravati.

Mobile No. :-

Wanted DD / Payorder / RTGS / NEFT for details below.

Amount : ₹ 2,00,000/-

Charges : ₹ -

Total : ₹ 2,00,000/-

On details below

- 1) Beneficiary Name : Registrar, MUHS Nasik
- 2) Bank Name : HDFC Bank
- 3) Branch : Sadoloz Branch, Mumbai
- 4) A/c No. : MUHSNR155104
- 5) IFSC Code No : HDFC0000240
- 6) Payable at city : Nashik

Received by

Applicant's Sign

Clerk :

Principal

Dr. Panjabrao Deshmukh
Nursing Institute

TRANSFER

Ch. no 94483

Bele

2022

ATTESTED

Principal

Dr. P.D.N.I. Amravati

Dr. P.D.N.I. Amravati

MSC (WSJ) 2022-23 dt. 21/2/2022

202218155495

14/03/2022

DR. PANJABRAO DESHMUKH
URBAN CO-OPERATIVE BANK LTD., AMRAVATI.

BRANCH : _____

Received from :

A/c No. : 749

Mobile No. : _____

Wanted DD/Payorder/RTGS/NEFT for details below.

Amount : ₹ 1,00,000/-

Charges : ₹ _____

total : ₹ 1,00,000/-

On details below

- 1) Beneficiary Name: Register, MUHS Nashik
- 2) Bank Name: HDFC Bank
- 3) Branch: Sander Branch, Mumbai
- 4) A/c No.: MUHSNK155104
- 5) IFSC Code No: HDFC0000240
- 6) Payable at city: Nashik

Received by _____

Applicant's Sign

Clerk : _____

V.P.
14/03/2022
Principal

Dr. Panjabrao Deshmukh
Principal Institute, Amravati

Ch. No 94498

ATTESTED

V.P.

Principal

Dr. P.D.N.I. Amravati